

products **Beeswax - TeCe-Wachs**

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------



**Beeswax 3044K**  
natural beeswax, bleached

pellets/slabs 61 - 65

17 - 22 87 - 102 white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)



**Beeswax 3044PH**  
natural beeswax, bleached

pellets 61 - 65

17 - 22 87 - 102 white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)



**Beeswax 3046PH**  
natural beeswax, bleached

pellets 61 - 65

17 - 22 87 - 102 off-white/ivory

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)



**Beeswax 3050A**  
natural beeswax, filtered





pellets/slabs 61 - 65

17 - 22 87 - 102 yellow

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

products **Beeswax - TeCe-Wachs**

## description - properties

vegan Halal certified Kosher certified RSPO-MB certified	product name type	form supplied	drop point °C	penetration 0,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
● ●	 <b>Beeswax 3050PH</b> <b>natural beeswax, filtered</b> <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	pellets	61 - 65			17 - 22	87 - 102	yellow
● ● ●	 <b>Candelilla Wax LT281BI</b> <b>natural wax, refined</b> <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	pellets	62 - 73		Congealing Pt.	12 - 22	43 - 65	light yellow
● ● ●	 <b>Carnauba Wax LT124</b> <b>natural wax, refined</b> <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	flakes	81 - 86			2 - 7	80 - 95	light yellow
● ● ●	 <b>Carnauba Wax LT314</b> <b>natural wax, refined</b> <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	flakes	81 - 86			2 - 7	80 - 95	yellow

products **Beeswax - TeCe-Wachs**

description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●



<b>Carnicol® N352</b>	blocks 20/25 kg	35 - 40			max. 2	190 - 260	off-white/amber
-----------------------	-----------------	---------	--	--	--------	-----------	-----------------

**rape seed wax, partially hardened**

[more > safety data sheet / technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

●



<b>Carnicowachs® A-Specia</b>	pellets	90 - 95			2 - 4	19 - 25	off-white
-------------------------------	---------	---------	--	--	-------	---------	-----------

**ester wax**

[more > safety data sheet / technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●



		Congealing Pt.					
<b>Carnicowachs® CLA</b>	pellets	62 - 72	max. 1		12 - 16	45 - 60	light yellow

**ester wax / Candelilla wax substitute**

[more > safety data sheet / technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●



<b>Carnicowachs® HGZ</b>	pellets/flakes	78 - 82			5 - 15	40 - 60	light yellow
--------------------------	----------------	---------	--	--	--------	---------	--------------

**ester wax, emulsifalbe**

[more > safety data sheet / technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name  
type

form supplied

drop point °C

penetration  
0,1mm at 25 °C

viscosity  
mPas bei 100 °C

Acid Value  
mgKOH/g

Sapon. Value  
mg/KOH

colour

**Carnicowachs® LT20**

pellets

78 - 82

max. 2,5

8 - 18

light yellow

**ester wax**

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

**Carnicowachs® LT872**

pellets/flakes

approx. 68

10 - 15

54 - 65

light yellow

**ester wax**

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

**Ceraflex® N84**

slabs approx.5 kg

72 - 78

40 - 50

65 - 85

off-white

**special wax / wax blend**

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

**Ceraflex® T57**

slabs approx.5 kg

50 - 70

5 - 10

white/off-white

**special wax / wax blend**

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●

**Cerathen® GC80**

pellets

78 - 85

8 - 11

700 - 900 (150°C)

white/off-white

**polymer wax**

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●

**Cerathen® N450**

pellets

89 - 95

7 - 12

100 - 200

white/off-white

**polymer wax**

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●

**Ceratom® "Biogade" EH**

pellets

54 - 61

25 - 35

110 - 135

white/off-white

**ester wax**

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ● ●

**Ceratom® B-Wax-V**

pellets

61 - 65

17 - 21

90 - 104

white/off-white

**ester wax / beeswax substitute**

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration 0,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------



**Ceratrom® ICS**  
ester wax / Japanese wax substitute

pellets

56 - 61

ca. 35

105 - 120

off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)



**Isodur® FAO/III**  
special wax / wax blend

pellets

68 - 75

4 - 8

11 - 29

off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)



**Isodur® RD172E**  
special wax / wax blend

pellets/slabs

76 - 81

4 - 8

15 - 20

light yellow

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)



**Isoplast® G992**  
special wax / wax blend

blocks 20/25 kg

60 - 65

60 - 95

35 - 80

off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)


## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration 0,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●



**Isoplast® GVP**  
special wax / wax blend

slabs 5 kg      76 - 82      30 - 40      75 - 85

off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**Polarit® 30227**  
hydrogenated paraffin, fully refined

pellets/slabs      52 - 56      15 - 19      2 - 4

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**Polarit® 30731**  
hydrogenated paraffin, fully refined

pellets/slabs      55 - 60      14 - 19      2 - 4

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**Polarit® 30768**  
hydrogenated paraffin, fully refined

pellets/slabs      64 - 66      12 - 17      2 - 6

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●




**Polarit® 30789**  
hydrogenated paraffin, fully refined

pellets/slabs 60 - 62 12 - 17 3 - 5

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

●




**Polarwachs® 30352**  
synthetic wax

pellets/fine grain 95 - 101 5 - 9 max. 10 (120°C)

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●



**Polarwachs® 30410**  
synthetic wax

pellets/fine grain 105 - 120 1 - 4 7 - 14 (120°C)

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●



**Polarwachs® 30755**  
synthetic wax

pellets/fine grain 114 - 120 approx. 1 max. 12 (150°C)

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)



## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●



**Polarwachs® 30923**  
synthetic wax

pellets

88 - 95

4 - 8

8 - 12

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●



**Polarwachs® C324**  
synthetic wax

pellets

105 - 115

2 - 5

70 - 110 (150°C)

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

●



**Polarwachs® H995M**  
polyethylene wax

pellets/fine grain

108 - 116


2 - 6

20 - 30 (150°C)

white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

● ● ●



**Polycerin® 9512**  
rapeseed wax / candle grade

slabs approx.5 kg

52 - 56

max. 16,5

180 - 200

off-white/amber

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●



**Polycerin® 9522**  
rapeseed wax / candle grade

pellets/fine grain 66 - 71

max. 16,5 180 - 200 off-white/amber

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**Polycerin® 9562**  
rapeseed wax / candle grade

pellets/fine grain 57 - 61

max. 16,5 180 - 200 off-white/amber

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

●




**Polycerin® 9582**  
rapeseed wax

pellets 63 - 69

max. 1 175 - 220 off-white/amber

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**Polycerit® CAT**  
polymer wax

pellets 52 - 58 8 - 12 230 - 360

off-white/amber

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)


## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration 0,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●



**Polycerit® FAT**  
polymer wax

pellets

65 - 75

2 - 5

230 - 360

off-white

[more > safety data sheet / technical data sheet > please mail to \[info@wax-tromm.de\]\(mailto:info@wax-tromm.de\)](#)

● ● ●



**Polycerit® N281**  
polymer wax

pellets

92 - 96


4 - 10

300 - 330

white/off-white

[more > safety data sheet / technical data sheet > please mail to \[info@wax-tromm.de\]\(mailto:info@wax-tromm.de\)](#)

● ● ●



**Polycerit® PT90LF**  
polymer wax

fine grain

155 - 160


ca. 1

500 - 1900  
(180°C)

white/off-white

[more > safety data sheet / technical data sheet > please mail to \[info@wax-tromm.de\]\(mailto:info@wax-tromm.de\)](#)

● ● ●



**Polycerit® W**  
polyethylene wax

granules

100 - 110

2 - 5





2000 - 5000  
(120°C)

white/off-white

[more > safety data sheet / technical data sheet > please mail to \[info@wax-tromm.de\]\(mailto:info@wax-tromm.de\)](#)

## products Beeswax - TeCe-Wachs

## description - properties

vegan Halal certified Kosher certified RSPO-MB certified	product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
<b>new</b> ● ● ●	 <b>Ricebran Wax LT553</b> natural wax	pellets	75 - 81			5 - 12	60 - 102	amber
● ● ●	 <b>TeCe-Ceresin® G70</b> ceresin	pellets	68 - 72	15 - 22	5 - 9			white/off-white
● ● ●	 <b>TeCe-Ceresin® N662</b> ceresin	pellets	78 - 82	9 - 15	6 - 9			white/off-white
● ● ●	 <b>TeCe-Ceresin® A75K</b> ceresin	pellets	64 - 69	15 - 20	7 - 10			white/off-white

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)





more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)

more > [safety data sheet](#) / [technical data sheet](#) > please mail to [info@wax-tromm.de](mailto:info@wax-tromm.de)



products Beeswax - TeCe-Wachs

description - properties

vegan Halal certified Kosher certified RSPO-MB certified	product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
● ● ●	 <b>TeCe-Ozokerit® H502</b> ozokerit	pellets	74 - 78	15 - 22	7 - 10			white/off-white
	<a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>							
● ● ●	 <b>TeCe-Ozokerit® HH680</b> ozokerit	pellets	90 - 94	5 - 11	10 - 14			white/off-white
	<a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>							
<b>new</b> ●	 <b>TeCero-Wachs®SYN 30525m</b> slabs approx.5 kg synthetic microcrystalline wax		83 - 91	20 - 30	10 - 15			white/off-white
	<a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>							
<b>new</b> ●	 <b>TeCero-Wachs®SYN 30527m</b> slabs approx.5 kg synthetic microcrystalline wax		83 - 91	35 - 45	10 - 15			white/off-white
	<a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>							

## products Beeswax - TeCe-Wachs

## description - properties

vegan Halal certified Kosher certified RSPO-MB certified	product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
<b>new</b> ●	 <b>TeCero-Wachs®SYN 30515h</b> synthetic microcrystalline wax <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	pellets	90 - 99	max. 9	11 - 16			white/off-white
● ● ●	 <b>TeCero® TOP8</b> polymer wax <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	pellets	60 - 65	2 - 5	34 - 42			white/off-white
<b>new</b> ● ● ●	 <b>TeCero® TOP18</b> polymer wax <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	pellets	77 - 82	18 - 23	200 - 250			white/off-white
● ● ●	 <b>TeCero-Wachs® 1030K</b> microcrystalline wax <a href="#">more &gt; safety data sheet / technical data sheet &gt; please mail to info@wax-tromm.de</a>	pellets	74 - 78	15 - 22	7 - 10			white/off-white

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

● ● ●



**TeCero-Wachs® 2004K**  
microcrystalline wax

slabs 5 kg

77 - 81

20 - 25

7 - 10

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**TeCero-Wachs® 3004K**  
microcrystalline wax

pellets

80 - 88

15 - 22

10 - 14

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**TeCero-Wachs® 4004K**  
microcrystalline wax

pellets

80 - 85

10 - 20

9 - 12

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**TeCero-Wachs® 5004K**  
microcrystalline wax

pellets

90 - 94

5 - 11

10 - 14

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

## products Beeswax - TeCe-Wachs

## description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------

●



**TeCero-Wachs® 6004K**  
microcrystalline wax

pellets 99 - 105 4 - 7 7 - 12 (120°C)

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●



**TeCero-Wachs® N395**  
microcrystalline wax

pellets 68 - 72 18 - 22 10 - 12

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

● ● ●




**TeCero-Wachs® TL109**  
microcrystalline wax

slabs 5 kg 80 - 84 30 - 40 10 - 12

white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)

●



**TeCero-Wachs® TL290**  
microcrystalline wax

pellets 73 - 78 15 - 19 10 - 12





white/off-white

[more > safety data sheet / technical data sheet > please mail to info@wax-tromm.de](#)







## products Beeswax - TeCe-Wachs

## description - properties

vegan Halal certified Kosher certified RSPO-MB certified	product name type	form supplied	drop point °C	penetration 0,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
<p><b>new</b> ● ● ● ●</p> 	<p><b>TeCe-Stearin white I</b> stearic acid (certified RSPO-MB on request)</p> <p><a href="#">more &gt; safety data sheet / technical data sheet</a> &gt; <a href="#">please mail to info@wax-tromm.de</a></p>	fine grain	57 - 61			195 - 210	195 - 210	white
<p><b>new</b> ●</p> 	<p><b>TeCe-Stearin 30764C</b> stearic acid / rapeseed wax</p> <p><a href="#">more &gt; safety data sheet / technical data sheet</a> &gt; <a href="#">please mail to info@wax-tromm.de</a></p>	pellets	53 - 58			195 - 210	195 - 210	white
<p>● ● ● ●</p> 	<p><b>TeCe-Stearin white I PH MB</b> stearic acid (certified RSPO-MB on request)</p> <p><a href="#">more &gt; safety data sheet / technical data sheet</a> &gt; <a href="#">please mail to info@wax-tromm.de</a></p>	fine grain	57 - 61			195 - 210	195 - 210	white
<p>●</p> 	<p><b>TeCe-Wachs® 30576</b> oxydized wax</p> <p><a href="#">more &gt; safety data sheet / technical data sheet</a> &gt; <a href="#">please mail to info@wax-tromm.de</a></p>	pellets	102 - 108			14 - 18		off-white/amber

## products Beeswax - TeCe-Wachs

## description - properties

vegan Halal certified Kosher certified RSPO-MB certified	product name type	form supplied	drop point °C	penetration 0,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
●	 <b>TeCe-Wachs® 30578</b> <b>oxydized wax</b> <a href="#">more &gt; safety data sheet / technical data sheet</a> > please mail to <a href="mailto:info@wax-tromm.de">info@wax-tromm.de</a>	pellets	98 - 104			23 - 31		off-white/amber
●	 <b>TeCe-Wachs® 30653</b> <b>oxydized wax</b> <a href="#">more &gt; safety data sheet / technical data sheet</a> > please mail to <a href="mailto:info@wax-tromm.de">info@wax-tromm.de</a>	pellets	97 - 103			26 - 35		off-white/amber
●	 <b>TeCe-Wachs® MT88S</b> <b>oxydized wax</b> <a href="#">more &gt; safety data sheet / technical data sheet</a> > please mail to <a href="mailto:info@wax-tromm.de">info@wax-tromm.de</a>	pellets/fine grain	92 - 99			19 - 26	30 - 45	off-white/amber
● ● ●	 <b>TeCe-Wachs® TL360E</b> <b>ester wax, emulsifiable</b> <a href="#">more &gt; safety data sheet / technical data sheet</a> > please mail to <a href="mailto:info@wax-tromm.de">info@wax-tromm.de</a>	pellets/flakes	91 - 99			5 - 15	30 - 55	yellowish/yellow

products Beeswax - TeCe-Wachs

description - properties

vegan  
Halal certified  
Kosher certified  
RSPO-MB certified

product name type	form supplied	drop point °C	penetration o,1mm at 25 °C	viscosity mPas bei 100 °C	Acid Value mgKOH/g	Sapon. Value mg/KOH	colour
----------------------	---------------	---------------	-------------------------------	------------------------------	-----------------------	------------------------	--------



Test Methods: Congealing Point: ISO 2207; Drop Point: ISO 2176; Penetration: DIN 51579; Viscosity: DIN 53019; Acid Value: ISO 3682; Saponification Value: ISO 3681

- without engagement -

The listing of properties and the recommended application or the named products shall provide the first information for interest end user. The lineup is done without engagement and a ll information is given to the best knowledge at the date of issue. There is no warranty of any kind, either express or implied, by fact or law, inclu- ding warranties of merchantability or fitness for a particular purpose. TH.C.TROMM GmbH reserves the right to ame d the composition and properties of the named products or to withdrawel products form this lineup.  
= registered trademark Tromm

**WACHS-U. CERESIN-FABRIKEN**  
**TH.C.TROMM**  
**G.M.B.H. KÖLN**

phone: 0049 221 974552 0  
contact: [info@wax.tromm.de](mailto:info@wax.tromm.de)  
address: TH.C.TROMM GmbH - Delmenhorster Str. 4 - D-50735 Köln/Cologne